Chapter 72

IRON AND STEEL

Notes.

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon
- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

(d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminum
- 0.0008% or more of boron
- 0.3% or more of chromium
- 0.3% or more of cobalt

- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more of nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium
- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium
- more than 0.05% of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1 (c) must each exceed 10% by weight.

Statistical Notes.

(NB These notes do not form part of the Customs Tariff legislation.)

- 1. For the statistical purposes of subheadings 7222.11, 7222.19, 7222.20 and 7222.30, the expression "high nickel alloy steel" is considered to be nickel alloy steel containing by weight 24% or more of nickel.
- 2. For the statistical purposes of this Chapter, the expression "tire cord-quality steel wire rod" is considered to be rod measuring 5.0 mm or more but not more than 6.0 mm in cross-sectional diameter, with an average partial decarburization of no more than 70 micrometers in depth (maximum 200 micrometers); having no non-deformable inclusions with a thickness (measured perpendicular to the rolling direction) greater than 20 micrometers; and, containing by weight the following elements in proportions:
 - 0.68% or more carbon.
 - less than 0.01% of aluminum,
 - 0.04% or less, in aggregate, of phosphorus and sulfur,
 - 0.008% or less of nitrogen, and
 - not more than 0.55% in the aggregate, of copper, nickel and chromium.
- 3. For the statistical purposes of this Chapter, the expression "cold heading quality (CHQ)" is considered to be rod suitable for cold heading, forging, or thread rolling, and meeting standard ASTM F2282.
- 4. For the statistical purposes of this Chapter, the expression "welding quality wire rod" is considered to be rod measuring less than 10 mm in diameter having less than 0.2% carbon, less than 0.04% sulfur, and less than 0.04% phosphorus, suitable for drawing or rolling to final size for use as:
 - an uncoated or plated or copper coated solid welding wire or rod;
 - the core wire or core rod for covered shielded metal arc ("SMAW") welding electrode, or
 - the formed jacket of a flux cored welding electrode that is suitable for consumption in the electric arc welding process.
- 5. For the purposes of this Chapter, the term "concrete reinforcing bar", commonly known as rebar, means a steel bar produced with deformations.

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		IPRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM			
72.01		Pig iron and spiegeleisen in pigs, blocks or other primary forms.			
7201.10.00	00	-Non-alloy pig iron containing by weight 0.5% or less of phosphorus	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7201.20.00	00	-Non-alloy pig iron containing by weight more than 0.5% of phosphorus	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7201.50.00	00	-Alloy pig iron; spiegeleisen	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.02		Ferro-alloys.			
		-Ferro-manganese:			
7202.11.00	00	Containing by weight more than 2% of carbon	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.19.00	00	Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Ferro-silicon:			
7202.21.00	00	Containing by weight more than 55% of silicon	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.29.00	00 00	Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7202.30.00	0 00	-Ferro-silico-manganese	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Ferro-chromium:			
7202.41.0	0 00	Containing by weight more than 4% of carbon	KGM	Free	CCCT,LDCT,GPT,UST, MXT,CIAT,CT,CRT,IT,
		Note: The benefit of the Most-Favoured-Nation Tariff is extended to goods of this tariff item that originate in a country to which the General Tariff applies.			NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.49.0	0 00	Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT,
		Note: The benefit of the Most-Favoured-Nation Tariff is extended to goods of this tariff item that originate in a country to which the General Tariff applies.			NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.50.0	0 00	-Ferro-silico-chromium	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.60.0	0 00	-Ferro-nickel	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.70.0	0 00	-Ferro-molybdenum	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.80.0	0 00	-Ferro-tungsten and ferro-silico-tungsten	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Other:			
7202.91.0	0 00	Ferro-titanium and ferro-silico-titanium	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.92.0	0 00	Ferro-vanadium	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7202.93.00	00	Ferro-niobium	KGM	Free	CCCT,LDCT,GPT,UST, MXT,CIAT,CT,CRT,IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.99.00	00	Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.03		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms.			
7203.10.00	00	-Ferrous products obtained by direct reduction of iron ore	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7203.90.00	00	-Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.04		Ferrous waste and scrap; remelting scrap ingots of iron or steel.			
7204.10.00	00	-Waste and scrap of cast iron	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Waste and scrap of alloy steel:			
7204.21.00	00	Of stainless steel	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7204.29.00	00	Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7204.30.00	00	-Waste and scrap of tinned iron or steel	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Other waste and scrap:	l.		- 1
7204.41.00		-Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	No.1 in bundles	KGM KGM KGM		
7204.49.00	,	-Other		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	No. 1 heavy melting	KGM KGM		
		Shredded	KGM KGM		
7204.50.00	00	Remelting scrap ingots	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.05		Granules and powders, of pig iron, spiegeleisen, iron or steel.			
7205.10.00	00	Granules	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Powders:			
7205.21.00	00	-Of alloy steel	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7205.29.00	00	-Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		IIIRON AND NON-ALLOY STEEL			
72.06		ron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7206.10.00	00 -Ingots	KGM	Free	CCCT,LDCT,GPT,UST MXT, CIAT, CT, CRT, IT NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7206.90.00	00 -Other	KGM	Free	CCCT,LDCT,GPT,UST MXT, CIAT, CT, CRT, IT NT, SLT, PT, COLT, JT PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.07	Semi-finished products of iron or non-alloy steel.			
	-Containing by weight less than 0.25% of carbon:			
7207.11.00	Of rectangular (including square) cross-section, the width measur less than twice the thickness	ing	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Of iron	KGM		, ,
		KGM		
	29 Other	KGM		
7207.12.00	00Other, of rectangular (other than square) cross-section	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7207.19.00	Other		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 Rounds			
7207.20.00	-Containing by weight 0.25% or more of carbon		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Blooms			•
	20 Billets			
	90 Other			
72.08	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm of more, hot-rolled, not clad, plated or coated.	or		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.10.00	00 -In coils, not further worked than hot-rolled, with patterns in relief	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other, in coils, not further worked than hot-rolled, pickled:			
7208.25.00	00Of a thickness of 4.75 mm or more	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.26.00	00Of a thickness of 3 mm or more but less than 4.75 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.27.00	00Of a thickness of less than 3 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other, in coils, not further worked than hot-rolled:			
7208.36.00	00Of a thickness exceeding 10 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.37.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		. , .
7208.38.00	Of a thickness of 3 mm or more but less than 4.75 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm 20Of a width exceeding 1,525 mm but not exceeding 1,830 mm			,

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	50	Of a width exceeding 1,830 mm	KGM		l
7208.39.00	00	Of a thickness of less than 3 mm	KGM	Free	AUT, NZT, CCCT, LDCT UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.40.00	00	-Not in coils, not further worked than hot-rolled, with patterns in relief	KGM	Free	AUT, NZT, CCCT, LDCT GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Other, not in coils, not further worked than hot-rolled:			
7208.51.00	,	Of a thickness exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Heat treated:			,
	12 19	Pressure vessel quality, vacuum-degassed	KGM KGM KGM		
	22 23 24 25	mm:Of a width less than 1,168.4 mm	KGM KGM KGM KGM KGM		
	32 33 34 35	mm:Of a width less than 1,168.4 mm	KGM KGM KGM KGM KGM		
	42 43 44 45	mm:Of a width less than 1,168.4 mmOf a width of 1,168.4 mm or more but not exceeding 1,879.6 mmOf a width exceeding 1,879.6 mm but not exceeding 2,489.2 mmOf a width exceeding 2,489.2 mm but not exceeding 3,098.8 mm	KGM KGM KGM KGM KGM		
	51 52 53	Other, of a thickness of more than 50.8 mm but not exceeding 76.2 mm:Of a width less than 1,168.4 mmOf a width of 1,168.4 mm or more but not exceeding 1,879.6 mmOf a width exceeding 1,879.6 mm but not exceeding 2,489.2 mm	KGM KGM KGM KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	55 Of a width exceeding 3,098.8 mm	KGM		•
	Other, of a thickness of more than 76.2 mm but not exceeding 101.6 mm:			
	61Of a width less than 1,168.4 mm	KGM		
	62Of a width of 1,168.4 mm or more but not exceeding 1,879.6 mm	KGM		
	63 Of a width exceeding 1,879.6 mm but not exceeding 2,489.2 mm	KGM		
	64 Of a width exceeding 2,489.2 mm but not exceeding 3,098.8 mm	KGM		
	65 Of a width exceeding 3,098.8 mm	KGM		
	Other, of a thickness exceeding 101.6 mm:			
	71Of a width less than 1,168.4 mm	KGM		
	72Of a width of 1,168.4 mm or more but not exceeding 1,879.6 mm	KGM		
	73 Of a width exceeding 1,879.6 mm but not exceeding 2,489.2 mm	KGM		
	74 Of a width exceeding 2,489.2 mm but not exceeding 3,098.8 mm	KGM		
	75Of a width exceeding 3,098.8 mm	KGM		
7208.52.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	neal treated.			
	11 Pressure vessel quality, vacuum-degassed	KGM		
	12 Pressure vessel quality, not vacuum-degassed	KGM		
	19Other:	KGM		
	81 Of a width less than 1,168.4 mm	KGM		
	82Of a width of 1,168.4 mm or more but not exceeding 1,879.6 mm	KGM		
	83Of a width exceeding 1,879.6 mm but not exceeding 2,489.2 mm	KGM		
	84Of a width exceeding 2,489.2 mm but not exceeding 3,098.8 mm	KGM		
	85Of a width exceeding 3,098.8 mm	KGM		
7208.53.00	00Other, of a thickness of 3 mm or more but less than 4.75 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.54.00	00Other, of a thickness of less than 3 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.90.00	00 -Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.09	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
1		In coils, not further worked than cold-rolled (cold-reduced):			
7209.15.00	00 -	Of a thickness of 3 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.16.00		Of a thickness exceeding 1 mm but less than 3 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Annealed	KGM KGM		
7209.17.00		Of a thickness of 0.5 mm or more but not exceeding 1 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Annealed	KGM KGM		
7209.18.00	00 -	Of a thickness of less than 0.5 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not in coils, not further worked than cold-rolled (cold-reduced):			
7209.25.00	00 -	Of a thickness of 3 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.26.00	00 -	Of a thickness exceeding 1 mm but less than 3 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.27.00	00 -	Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7209.28.00	00Of a thickness of less than 0.5 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.90.00	00 -Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.10	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.			
	-Plated or coated with tin:			
7210.11.00	00Of a thickness of 0.5 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.12.00	00Of a thickness of less than 0.5 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.20.00	00 -Plated or coated with lead, including terne-plate	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.30.00	00 -Electrolytically plated or coated with zinc	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Otherwise plated or coated with zinc:			
7210.41.00	00Corrugated	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.49.00	Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT,
	40 Of a thickness less than 0.25 mm	. KGM		CPTPT, UKT: Free

Tariff Item	ss	•	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Of a thickness of 0.25 mm or more but less than 0.5 mm	KGM		
		Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM KGM		
	, ,	or a unotinede executing i initia	ROW		
7210.50.00	0 00	-Plated or coated with chromium oxides or with chromium and chromium oxides	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Plated or coated with aluminum:			
7210.61.0	0	Plated or coated with aluminium-zinc alloys		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of a thickness of less than 1.44 mm			
7210.69.00	0	Other		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of a thickness of less than 1.44 mm			
7210.70.00	0	-Painted, varnished or coated with plastics		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not plated or coated with metal and not clad	KGM		
		Electrolytically	KGM		
		Other	KGM KGM		
	90		KGW		
7210.90.0	0 00	-Other	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.11		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.			
		-Not further worked than hot-rolled:			

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7211.13.00	00Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7211.14.00	Other, of a thickness of 4.75 mm or more		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 Not in coils	KGM KGM		
7211.19.00	Other		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 Not in coils	KGM KGM		
	-Not further worked than cold-rolled (cold-reduced):			
7211.23.00	00Containing by weight less than 0.25% of carbon	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7211.29.00	00Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7211.90.00	00 -Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.12	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.			
7212.10.00	00 -Plated or coated with tin	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7212.20.00	-Electrolytically plated or coated with zinc		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	10Of a thickness less than 0.25 mm	KGM KGM		
7212.30.00	-Otherwise plated or coated with zinc		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 Of a thickness less than 0.25 mm	KGM KGM		
7212.40.00	-Painted, varnished or coated with plastics		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Not plated or coated with metal and not clad	KGM		
	Plated or coated with zinc: 21 Electrolytically	KGM		
	29 Other	KGM		
7212.50.00	-Otherwise plated or coated		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	30 Of a thickness less than 0.25 mm	KGM KGM		
7212.60.00	00 -Clad	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.13	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-allo steel.	у		
7213.10.00	-Containing indentations, ribs, grooves or other deformations produce during the rolling process	d	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Concrete reinforcing bars, of specification CSA G30.18:	KOM		
		Of a diameter of 12 mm or less Of a diameter of more than 12 mm but not exceeding 17 mm	KGM KGM		
		Of a diameter of more than 12 mm but not exceeding 17 mm	KGM		
		Other	KGM		
7213.20.00) .	-Other, of free-cutting steel		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT,
					CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Containing by weight 0.1% or more of lead	KGM KGM		
		-Other:			
7213.91.00)	Of circular cross-section measuring less than 14 mm in diameter		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not tempered or treated and not partly manufactured:			
	41 -	Tire cord-quality steel wire rod, as defined in Statistical Note 2 to this Chapter	KGM		
	42 -	Of cold heading quality (CHQ) steel, as defined in Statistical Note 3 to			
		this Chapter	KGM		
	43	Of welding quality wire rods, as defined in Statistical Note 4 to this Chapter	KGM		
	49	Other	KGM		
		Other, containing by weight less than 0.25% of carbon	KGM		
		Other, containing by weight 0.25% or more but less than 0.6% of			
	70 -	carbon Other, containing by weight 0.6% or more of carbon	KGM KGM		
7213.99.00	.	Other		Free	AUT, NZT, CCCT, LDCT,
				1100	GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of circular cross-section, containing by weight less than 0.25% of carbon:			
	11 -	Of a diameter of 14 mm or more but less than 19 mm	KGM		
		Of a diameter of 19 mm or more but not exceeding 25.5 mm	KGM		
		Of a diameter exceeding 25.5 mm	KGM		
		Of circular cross-section, containing by weight 0.25% or more but less than 0.6% of carbon:			
	31	Of a diameter of 14 mm or more but less than 19 mm	KGM		
		Of a diameter of 19 mm or more but not exceeding 25.5 mm	KGM		
		Of a diameter exceeding 25.5 mm	KGM		
		Of circular cross-section, containing by weight 0.6% or more of carbon:			
		Of Circulal Cross-section, Containing by Weight 0.0% of more of Carbon			
		Of a diameter of 14 mm or more but less than 19 mm	KGM		
	51 ·		KGM KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	90	Other	KGM		1
72.14		Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.			
7214.10.00	0 00	-Forged	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT NT, SLT, PT, COLT, JT PAT, HNT, KRT, CEUT UAT, CPTPT, UKT: Fre
7214.20.00	0	-Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT NT, SLT, PT, COLT, JT PAT, HNT, KRT, CEUT UAT, CPTPT, UKT: Fre
		Concrete reinforcing bar, of specification CSA G30.18, with a diameter of 12 mm or less:			
		With a maximum yield point of 400MPa	KGM		
		500MPa	KGM		
	13	With a minimum yield point greater than 500MPa but not exceeding 600MPa	KGM		
	14	With a minimum yield point greater than 600MPa	KGM		
		Concrete reinforcing bar, of specification CSA G30.18, with a diameter of more than 12 mm but not exceeding 39 mm:			
		With a maximum yield point of 400MPa	KGM		
	23	500MPa	KGM		
		600MPa	KGM		
		With a minimum yield point greater than 600MPa Concrete reinforcing bar, of specification CSA G30.18, with a diameter exceeding 39 mm:	KGM		
	31	With a maximum yield point of 400MPa	KGM		
	32	With a minimum yield point greater than 400MPa but not exceeding 500MPa	KGM		
	33	With a minimum yield point greater than 500MPa but not exceeding	KGM		
	34	With a minimum yield point greater than 600MPa	KGM		
		Other	KGM		
7214.30.00	0	-Other, of free-cutting steel		Free	AUT, NZT, CCCT, LDCT GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT COLT, JT, PAT, HNT, KRT, CEUT, UAT,
		.			CPTPT, UKT: Free
	10	Containing by weight 0.15% or more but not exceeding 0.35% of lead			
		or 0.05% or more but not exceeding 0.4% of bismuth, for use in Canadian manufactures	KGM		
		Flat bars, including flat grader blade sections:	IXOIVI		
		Of a width not exceeding 76 mm	KGM		
		Of a width exceeding 76 mm but less than 152 mm	KGM		
		Of a width of 152 mm or more	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Rounds:			•
		Of a diameter not exceeding 76 mm	KGM		
	34	Of a diameter exceeding 76 mm	KGM		
	40	Hexagons	KGM		
		Squares	KGM		
	90	Other	KGM		
		-Other:			
7214.91.00)	Of rectangular (other than square) cross-section		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Containing by weight less than 0.25% of carbon:			
	11	Of a width not exceeding 76 mm	KGM		
	12	Of a width exceeding 76 mm but less than 152 mm	KGM		
		Of a width of 152 mm or more	KGM		
		Containing by weight 0.25% or more but less than 0.6% of carbon:			
		Of a width not exceeding 76 mm	KGM		
		Of a width exceeding 76 mm but less than 152 mm	KGM		
		Of a width of 152 mm or more	KGM		
		Containing by weight 0.6% or more of carbon:	14014		
		Of a width not exceeding 76 mm	KGM		
		Of a width exceeding 76 mm but less than 152 mm	KGM KGM		
7214.99.00)	Other		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Hexagons	KGM		
		Squares	KGM		
		Other, containing by weight less than 0.25% of carbon:			
	41	Rounds, of a diameter of less than 76 mm	KGM		
	42	Rounds, of a diameter of 76 mm or more but not exceeding 152 mm.	KGM		
	43	Rounds, of a diameter exceeding 152 mm	KGM		
		Other	KGM		
		Other, containing by weight 0.25% or more but less than 0.6% of carbon:			
		Rounds, of a diameter of less than 76 mm	KGM		
	52	Rounds, of a diameter of 76 mm or more but not exceeding 152 mm.	KGM		
		Rounds, of a diameter exceeding 152 mm	KGM		
		Other	KGM		
	60	Other, containing by weight 0.6% or more of carbon	KGM		
72.15		Other bars and rods of iron or non-alloy steel.			

Tariff Item	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	Of free-cutting steel, not further worked than cold-formed or cold-finished 0Rounds	KGM KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7215.50.00	-Other, not further worked than cold-formed or cold-finished		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
1	0 <i>-Flat bars</i>	KGM		
•	Rounds:	KCM		
	1 Ground, turned or polished			
	0 Other			
7215.90.00	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	0 Chrome plated			
	0 Corrosion resistant concrete reinforcing bars			
	0 Other concrete reinforcing bars			
9	0 Other	KGM		
72.16	Angles, shapes and sections of iron or non-alloy steel.			
7216.10.00	-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
4	U sections:	KCM		
•	1 American standard 9 Other	KGM KGM		
•	I sections:	I COM		
2	1 American standard	KGM		
2	9Other	KGM		
3	0H sections	KGM		
	-L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:			
7216.21.00	L sections		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
1	0 Equal legs	KGM		0A1, 0F1F1, 0K1. F166

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	20	Unequal legs	KGM		
7216.22.00	00	T sections	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:			
7216.31.00)	U sections		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of a height of 80 mm or more but not exceeding 152.4 mm:			
	11	American standard	KGM		
		For motor vehicles	KGM		
		Other	KGM		
		Of a height exceeding 152.4 mm:			
		American standard	KGM		
		For motor vehicles	KGM		
	29	Other	KGM		
7216.32.00)	I sections		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of a height of 80 mm or more but not exceeding 152.4 mm Of a height exceeding 152.4 mm			
7216.33.00)	H sections		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Wide flange:			
		Of a height not exceeding 150 mm			
		Of a height exceeding 150 mm but not exceeding 355 mm	KGM		
		Of a height exceeding 355 mm but not exceeding 635 mm	KGM		
		Of a height exceeding 635 mm	KGM		
		Bearing pile	KGM		
		Of a height of 80 mm or more but not exceeding 152.4 mm	KGM		
		Of a height exceeding 152.4 mm	KGM		
7216.40.00		-L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		L sections, equal legs:	VO14		
		Of a height of 80 mm or more but not exceeding 152.4 mm	KGM		
	12	Of a height exceeding 152.4 mm	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	21 <i>-</i> 22 <i>-</i>	L sections, unequal legs:Large leg, of a height of 80 mm or more but not exceeding 152.4 mmLarge leg, of a height exceeding 152.4 mm	KGM KGM KGM		
7216.50.00		Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		For use in ships, boats or floating structures	KGM		5/tt, 6/ 1/ 1, 6/tt. 1/60
	30 -	road scrapers	KGM KGM		
	-,	Other	KGM		
		cold-finished:			
7216.61.00	00 -	-Obtained from flat-rolled products	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7216.69.00	00 -	-Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-1	Other:			
7216.91.00	-	-Cold-formed or cold-finished from flat-rolled products		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 <i>-</i> 30 <i>-</i>	L sections	KGM KGM KGM		
	91 -	Other: Ribbed shapes Other	KGM KGM		
7216.99.00	-	-Other		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 -	L sections	KGM		57(1, 5) 11 1, 5)(1.1166

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	20 I or H sections	KGM		
	30 U sections	KGM		
	Other:			
9	91 <i>- Ribbed shapes</i>	KGM		
	99 Other	KGM		
72.17	Wire of iron or non-alloy steel.			
7217.10.00	-Not plated or coated, whether or not polished		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	Round, heat treated, containing by weight less than 0.25% of carbon:			
•	41Of a diameter of less than 1.5 mm, in coils weighing not more than 2			
	kg	KGM		
	42 Other, of a diameter of less than 1 mm	KGM		
•	43 Other, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
•	44 Other, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
•	45 Other, of a diameter of 3 mm or more	KGM		
	Other, containing by weight less than 0.25% of carbon:			
	51Round, of a diameter of less than 1 mm	KGM		
	52Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	53Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
,	54Round, of a diameter of 3 mm or more	KGM		
	55 <i>-Flat</i>	KGM		
	59Other	KGM		
	Other round, containing by weight 0.25% or more but less than 0.6% of carbon:			
	61Heat treated, of a diameter of less than 1 mm	KGM		
	62Heat treated, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	63 Heat treated, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	64Heat treated, of a diameter of 3 mm or more	KGM		
	65 Other, of a diameter of less than 1 mm	KGM		
	66 Other, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	67 Other, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	68 Other, of a diameter of 3 mm or more	KGM		
	Other, containing by weight 0.25% or more but less than 0.6% of carbon:	TOW!		
	71Flat	KGM		
	79 Other	KGM		
	Other round, containing by weight 0.6% or more of carbon:	IXOIVI		
	81Heat treated, of a diameter of less than 1 mm	KGM		
	82 Heat treated, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	83 Heat treated, of a diameter of 1.5 mm or more but less than 1.5 mm	KGM		
	84Heat treated, of a diameter of 3 mm or more	KGM		
	85 Other, of a diameter of less than 1 mm	KGM		
	86 Other, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	87Other, of a diameter of 1 min of more but less than 3 mm	KGM		
	88 Other, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
•		NGW		
	Other, containing by weight 0.6% or more of carbon:	KCM.		
	91	KGM		
;	99 Other	KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7217.20.00		Plated or coated with zinc		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10	Flat	KGM		,
		Plated or coated with zinc-aluminum, containing by weight less than 0.25% of carbon:			
	41	Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	43	Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 3 mm or more	KGM		
		Other	KGM		
		 Plated or coated with zinc-aluminum, containing by weight 0.25% or more but less than 0.6% of carbon: 			
		Round, of a diameter of less than 1 mm	-		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	-		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 3 mm or more	KGM		
		Other Plated or coated with zinc-aluminum, containing by weight 0.6% or more of carbon:	KGM		
	61	Round, of a diameter of less than 1 mm	KGM		
	62	Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	64	Round, of a diameter of 3 mm or more	KGM		
	69	Other	KGM		
		Other, containing by weight less than 0.25% of carbon:			
		Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 3 mm or more	KGM		
		Otherby weight 0.25% or more but less than 0.6% of carbon:	KGM		
	81	Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	83	Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	84	Round, of a diameter of 3 mm or more	KGM		
	89	Other	KGM		
		Other, containing by weight 0.6% or more of carbon:			
		Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 3 mm or more	KGM		
	99	Other	KGM		
7217.30.00		-Plated or coated with other base metals		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Flat	KGM		
		Other, containing by weight less than 0.25% of carbon:			
	21	Round, of a diameter of less than 1 mm	KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	22Round, of a diameter of 1 mm or more but less than 1.5 mm			•
	23Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	24 Round, of a diameter of 3 mm or more	KGM		
	29 Other	KGM		
	Other, containing by weight 0.25% or more but less than 0.6% of carbon:			
	31Round, of a diameter of less than 1 mm	KGM		
	32 Round, of a diameter of 1 mm or more but less than 1.5 mm			
	33Round, of a diameter of 1.5 mm or more but less than 3 mm			
	34Round, of a diameter of 3 mm or more			
	39 Other			
	Other, containing by weight 0.6% or more of carbon:			
	41 Round, of a diameter of less than 1 mm			
	42 Round, of a diameter of 1 mm or more but less than 1.5 mm			
	43 Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	44 Round, of a diameter of 3 mm or more	KGM		
	49 Other	KGM		
7217.90.00	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 Coated with plastics	KGM		
	Other:			
	91 Containing by weight less than 0.25% of carbon	KGM		
	92 Containing by weight 0.25% or more but less than 0.6% of carbor			
	93 Containing by weight 0.6% or more of carbon			
	IIISTAINLESS STEEL			
72.18	Stainless steel in ingots or other primary forms; semi-finished product of stainless steel.	ıcts		
7218.10.00	00 -Ingots and other primary forms	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other:			
7218.91.00	00Of rectangular (other than square) cross-section	KGM	Free	CCCT,LDCT,GPT,UST,
	• (MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7218.99.00	Other		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 Blooms, billets, rounds, slabs and sheet bars	KGM		3 , 5 , 5
	90Other			
		NGIVI		

Tariff (Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
72.19	Flat-rolled products of stainless steel, of a width of 600 mm or more.			
	-Not further worked than hot-rolled, in coils:			
7219.11.00	00Of a thickness exceeding 10 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7219.12.00	00Of a thickness of 4.75 mm or more but not exceeding 10 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7219.13.00	00Of a thickness of 3 mm or more but less than 4.75 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7219.14.00	00Of a thickness of less than 3 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Not further worked than hot-rolled, not in coils:			
7219.21.00	Of a thickness exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Of a width of 600 mm or more but not exceeding 1,830 mm 20Of a width exceeding 1,830 mm			
7219.22.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Of a width of 600 mm or more but not exceeding 1,830 mm 20Of a width exceeding 1,830 mm			51 11 1, 51(1.1166
7219.23.00	00Of a thickness of 3 mm or more but less than 4.75 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item S	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.24.00 0	0Of a thickness of less than 3 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Not further worked than cold-rolled (cold-reduced):			
7219.31.00 0	0Of a thickness of 4.75 mm or more	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7219.32.00	Of a thickness of 3 mm or more but less than 4.75 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	0 300 Series			
7219.33.00	Of a thickness exceeding 1 mm but less than 3 mm		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	0300 Series 0Other			, ,
7219.34.00	Of a thickness of 0.5 mm or more but not exceeding 1 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	0300 Series 0Other			5/t1, 6/ 17 1, 6/t1. 1166
7219.35.00	Of a thickness of less than 0.5 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	0 300 Series			5711, 51 11 1, 5111.1165
7219.90.00 0	0 -Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.20	Flat-rolled products of stainless steel, of a width of less than 600 mm.			
	-Not further worked than hot-rolled:			

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7220.11.00	00Of a thickness of 4.75 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7220.12.00	00Of a thickness of less than 4.75 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7220.20.00	-Not further worked than cold-rolled (cold-reduced)		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 300 Series			
7220.90.00	00 -Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7221.00.00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	30 Containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM KGM KGM KGM		
72.22	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.	KGM		
	-Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:			
7222.11.00	Of circular cross-section		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 Containing indentations, ribs, grooves or other deformations produced during the rolling process			
	31Of a diameter of 25 mm or more			
	Other: 91 Of a diameter of 25 mm or more	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7222.19.00		Other		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		High nickel alloy steel:			, ,
	11	Flat bars	KGM		
	19	Other	KGM		
		Other:			
	21	Flat bars	KGM		
	29	Other	KGM		
7222.20.00		-Bars and rods, not further worked than cold-formed or cold-finished		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Containing indentations, ribs, grooves or other deformations produced			,,
		during the rolling process	KGM		
		Other, of high nickel alloy steel:			
	31	Rounds, of a diameter of 25 mm or more	KGM		
	32	Rounds, of a diameter of less than 25 mm	KGM		
	39	Other	KGM		
		Other:			
	91	Rounds, of a diameter of 25 mm or more	KGM		
	92	Rounds, of a diameter of less than 25 mm	KGM		
	93	Flat bars	KGM		
	99	Other	KGM		
7222.30.00		-Other bars and rods		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Containing indentations, ribs, grooves or other deformations produced	KOM		
	20	during the rolling process	KGM		
		Other, of high nickel alloy steel			
	90	Other	KGM		
7222.40.00		-Angles, shapes and sections		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10	Profile wire, cold drawn or cold drawn and annealed, up to 0.787 mm ²			
		in maximum solid cross-sectional area	KGM		
	20	Other wire	KGM		
	90	Other	KGM		
7223.00.00		Wire of stainless steel.		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		file wire, cold drawn or cold drawn and annealed, up to 0.787 mm²			
		naximum solid cross-sectional area	KGM		
		er, coated or covered:			
		ound spring	KGM		
		ther round	KGM		
	Oth	her	KGM		
		er round. pring	KGM		
		ther, of a diameter of less than 0.25 mm	KGM		
		ther, of a diameter of 0.25 mm or more but less than 0.76 mm			
		ther, of a diameter of 0.76 mm or more but less than 1.52 mm			
		ther, of a diameter of 1.52 mm or more but less than 5.1 mm	KGM		
		ther, of a diameter of 5.1 mm or more but less than 6.5 mm	KGM		
		ther, of a diameter of 6.5 mm or more	KGM		
		er			
	IVO	THER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL			
72.24		by steel in ingots or other primary forms; semi-finished of other alloy steel.			
7224.10.00	00 -Ingots a	nd other primary forms	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT,IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7224.90.00	00 -Other		KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT,IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.25	Flat-rolle	d products of other alloy steel, of a width of 600 mm or more.			
	-Of silico	n-electrical steel:			
7225.11.00	00 Grain-c	riented	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7225.19.00	0 00Other		KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT,IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7225.30.00	00 -Other, n	ot further worked than hot-rolled, in coils	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7225.40.00	10 20 30 40	-Other, not further worked than hot-rolled, not in coils Heat treated	KGM KGM KGM KGM KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7225.50.00)	-Other, not further worked than cold-rolled (cold-reduced)		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 30	Of a thickness of less than 0.5 mm	KGM KGM KGM KGM		
		-Other:			
7225.91.00)	Electrolytically plated or coated with zinc		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 30	Of a thickness of less than 0.25 mm	KGM KGM KGM KGM		
7225.92.00)	Otherwise plated or coated with zinc		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 30	Of a thickness less than 0.25 mm	KGM KGM KGM KGM		
7225.99.00		Other		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Plated or coated with aluminum or aluminum alloys	KGM KGM		
72.26		Flat-rolled products of other alloy steel, of a width of less than 600 mm.			

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	-Of silicon-electrical steel:			
7226.11.00 00	Grain-oriented	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.19.00 00	Other	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.20.00 00	-Of high speed steel	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other:			
7226.91.00 00	Not further worked than hot-rolled	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.92.00 00	Not further worked than cold-rolled (cold-reduced)	KGM	Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.99.00	Other		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
11	Plated or coated with zinc: Of a thickness of less than 0.25 mm	KGM		
	Of a thickness of 0.25 mm or more but less than 0.5 mm	KGM		
	Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM		
19	Of a thickness exceeding 1 mm	KGM		
	Of a thickness of less than 0.25 mm	KGM		
	Of a thickness of 0.25 mm or more but less than 0.5 mm	KGM		
	Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM KGM		
72.27	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7227.10.00	00 -Of high speed steel	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7227.20.00	-Of silico-manganese steel		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 Of welding quality wire rods, as defined in statistical note 4 to this			
	chapter	KGM		
	90 Other	KGM		
7227.90.00	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	Of tool steel (other than high speed steel), not tempered or treated and			
	not partly manufactured:			
	11Of ball-bearing steel	KGM		
	19 Other	KGM		
	Of other tool steel (other than high-speed steel):			
	21Of ball-bearing steel	KGM		
	29 Other	KGM		
	50 Other, containing indentations, ribs, grooves or other deformations			
	produced during the rolling process	KGM		
	60 Other, of cold heading quality (CHQ) steel, as defined in Statistical Note			
	3 to this Chapter	KGM		
	70 Other, of welding quality wire rods, as defined in Statistical Note 4 to this Chapter	KGM		
	Other, of a circular cross-section:	KGW		
	81 Of a diameter of less than 14 mm	KGM		
	82 Of a diameter of 14 mm or more but not exceeding 19 mm			
	83 Of a diameter of 19 mm or more			
	90Other	KGM		
72.28	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.			
7228.10.00	-Bars and rods, of high speed steel		Free	AUT, NZT, CCCT, LDCT,
				GPT, UST, MXT, CIAT, CT,CRT,IT,NT,SLT,PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 Cold formed	VCM.		
	10 Cold-formed	KGM		
	20Not cold-formed	KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
228.20.00		Bars and rods, of silico-manganese steel		Free	AUT, NZT, CCCT, LDCT,
					UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT,
					COLT, JT, PAT, HNT,
					KRT, CEUT, UAT, CPTPT, UKT: Free
	40	Cold-formed	_		CFTFT, UKT. FIEE
	50	Not cold-formed	-		
228.30.00		-Other bars and rods, not further worked than hot-rolled, hot-drawn or		Free	AUT, NZT, CCCT, LDCT,
		extruded			GPT, UST, MXT, CIAT,
					CT,CRT,IT,NT,SLT,PT,COLT, JT, PAT, HNT,
					KRT, CEUT, UAT,
					CPTPT, UKT: Free
		Of tool steel (other than high-speed steel): Of ball bearing steel	KGM		
		Of ball bearing steel, not cold-formed	KGM		
		Other	KGM		
		Concrete reinforcing bars and rods:			
		With a diameter of 12 mm or less	KGM		
		With a diameter of more than 12 mm but not exceeding 39 mm	KGM		
		With a diameter exceeding 39 mm	KGM		
		Other, of high-nickel alloy steel	KGM		
			KGM		
		With a diameter of 76 mm or more but not exceeding 152 mm	KGM		
		With a diameter of 152 mm or more but not exceeding 228 mm	KGM		
	74	With a diameter exceeding 228 mm	KGM		
		Other, of rectangular cross section:			
			KGM		
		With a maximum cross section of 152mm or more	KGM		
	90	Other	KGM		
228.40.00		-Other bars and rods, not further worked than forged		Free	CCCT, LDCT, UST,
					MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT,
					PAT, HNT, KRT, CEUT,
					UAT, CPTPT, UKT: Free
	10	Mold steel	KGM		
		Tool steel	KGM		
	90	Other	KGM		
228.50.00		Other bars and rods, not further worked than cold-formed or cold-		Free	CCCT,LDCT,GPT,UST,
		finished			MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT,
					PAT, HNT, KRT, CEUT,
					UAT, CPTPT, UKT: Free
	10	Mold steel	KGM		
		Tool steel	KGM		
	Ω	Other	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7228.60.00	00	-Other bars and rods	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7228.70.00	0	-Angles, shapes and sections		Free	CCCT,LDCT,GPT,UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		L sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	11	Equal legs	KGM		
	12	Unequal legs	KGM		
		Wide flange H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	21	Of a height not exceeding 150 mm	KGM		
	22	Of a height exceeding 150 mm	KGM		
	30	Other H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
		I sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	41	American standard, of a height not exceeding 150 mm	KGM		
	42	American standard, of a height exceeding 150 mm	KGM		
	49	Other	KGM		
	50	U sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	60	T sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	70	Z sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
		 Other shapes or sections, not further worked than hot-rolled, cold-rolled, drawn or extruded: 			
		Bearing pile	KGM		
		Curved grader blade sections	KGM		
	83	Track shoe profile bars of steel, of a width of 190 mm or more but not			
		exceeding 350 mm and of a height not exceeding 150 mm, for use in	KOM		
	00	the manufacture of track shoes for track-laying machinery or vehicles	KGM		
		Other	KGM		
		Other:	KCM		
		L sections	KGM		
		H or I sections	KGM		
		U sections Other	KGM KGM		
	99	Otilei	KGW		
7228.80.00	D	-Hollow drill bars and rods		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not further worked than hot-rolled:			3 , 2 , 3
		Round, alloy steel	KGM		
		Round, non-alloy steel	KGM		
		Other, alloy steel	KGM		
		Other	KGM		
	10	~*·*	. COIVI		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Other:			
	91	Round, alloy steel	KGM		
	92	Round, non-alloy steel	KGM		
	98	Other, alloy steel	KGM		
	99	Other	KGM		
72.29		Wire of other alloy steel.			
7229.20.00	0	-Of silico-manganese steel		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Round, of a diameter not exceeding 1.6 mm, containing by weight less than 0.2% of carbon, more than 0.9% of manganese, and more than 0.6% of silicon, suitable for electric arc-welding:			
	11	Plated or coated with copper	KGM		
		Other	KGM		
		Other	KGM		
7229.90.00	0	-Other		Free	AUT, NZT, CCCT, LDCT GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT COLT, JT, PAT, HNT, KRT, CEUT, UAT,
	30	Of high-speed steel	KGM		CPTPT, UKT: Free
		Other flat	KGM		
		Other round, of a diameter not exceeding 1.6 mm, containing by weight less than 0.2% of carbon and more than 0.3% of nickel or more than 0.08% of molybdenum, suitable for electric arc-welding:	KGW		
	51	Plated or coated with copper	KGM		
	59	Other	KGM		
		Other round, containing by weight 1.2% or more of silicon and 0.6% or			
		more of chromium:			
		more of chromium: Of a diameter of less than 1 mm	KGM		
	61	Of a diameter of less than 1 mm			
	61 62		KGM KGM KGM		
	61 62 63	Of a diameter of less than 1 mm	KGM		
	61 62 63 64	Of a diameter of less than 1 mm Of a diameter of 1 mm or more but less than 1.5 mm Of a diameter of 1.5 mm or more but less than 3 mm	KGM KGM		
	61 62 63 64	Of a diameter of less than 1 mm	KGM KGM		
	61 62 63 64	Of a diameter of less than 1 mm	KGM KGM KGM		
	61 62 63 64 71 72	Of a diameter of less than 1 mm	KGM KGM KGM		
	61 62 63 64 71 72 73	Of a diameter of less than 1 mm	KGM KGM KGM KGM		